

List For Tube (Stainless)

Code Number	Material specification	Dimension	Length (M)/pc	Unit	Present on hand(pc)	Present on hand(M)
120280-1-0101	SA213TP304H	2.5**0.152**MW	8.5	pcs	1	8.5
121938-3-1201	SA213TP304H	1.75**0.15**MW	8.6	pcs	1	8.6
123276-1-0112	SA213TP304H	2.25**0.18**MW	10.4	pcs	1	10.4
125127-1-2302	SA213TP304H	50.8*5.08MW	5.6	pcs	1	5.6
125127-1-2302	SA213TP304H	50.8*5.08MW	11.0	pcs	1	11.0
125127-1-2302	SA213TP304H	50.8*5.08MW	3.2	pcs	1	3.2
127686-3-0111	SA213TP304H	2.25**0.165**MW*29.5'	9.0	pcs	3	27.0
127686-3-0111	SA213TP304H	2.25**0.165**MW	6.7	pcs	1	6.7
132684-3-0215	SA213TP304H	2.5"OD*0.481"MW	5.7	pcs	1	5.7
132684-3-0215	SA213TP304H	2.5"OD*0.481"MW	3.5	pcs	1	3.5
140407-1-0401	SA213T347H	44.5mmOD*3.81MW*5800mmLG	5.8	pcs	42	243.6
140407-1-0401	SA213T347H	44.5mmOD*3.81MW*7400mmLG	7.4	pcs	22	162.8
140407-1-0401	SA213T347H	44.5mmOD*3.81MW*6100mmLG	6.1	pcs	41	250.1
140407-1-0401	SA213T347H	44.5mmOD*3.81MW*7800mmLG	7.8	pcs	11	85.8
140407-1-0402	SA213T347H	44.5mmOD*3.81MW*7070mmLG	7.1	pcs	119	841.3
140407-1-0402	SA213T347H	44.5mmOD*3.81MW*7500mmLG	7.5	pcs	30	225.0
140407-1-0402	SA213T347H	44.5mmOD*3.81MW*7400mmLG	7.4	pcs	2	14.8
140407-1-0402	SA213T347H	44.5mmOD*3.81MW*7800mmLG	7.8	pcs	2	15.6
140407-1-0402	SA213T347H	44.5mmOD*3.81MW*5800mmLG	5.8	pcs	10	58.0
140407-1-0403	SA213T347H	44.50mmOD*3.81mmMW*7820mmLG	7.8	pcs	2	15.6
140407-1-0403	SA213T347H	44.5mmOD*3.81MW*7500mmLG	7.5	pcs	57	427.5
140407-1-0403	SA213T347H	44.5mmOD*3.81MW*8000mmLG	8.0	pcs	21	168.0
140407-1-0403	SA213T347H	44.5mmOD*3.81MW*7800mmLG	7.8	pcs	21	163.8
140407-1-0403	SA213T347H	44.5mmOD*3.81MW*7400mmLG	7.4	pcs	17	125.8
140407-1-0403	SA213T347H	44.5mmOD*3.81MW*6400mmLG	6.4	pcs	7	44.8
140407-1-0403	SA213T347H	44.5mmOD*3.81MW*7070mmLG	7.1	pcs	5	35.4
140407-1-0403	SA213T347H	44.5mmOD*3.81MW*5800mmLG	5.8	pcs	4	23.2
140407-1-0403	SA213T347H	44.5mmOD*3.81MW*6100mmLG	6.1	pcs	4	24.4
140407-1-0403	SA213T347H	44.5mmOD*3.81MW*7820mmLG	7.8	pcs	1	7.8
140407-1-0404	SA213T347H	44.5mmOD*3.81MW*7070mmLG	7.1	pcs	8	56.6
140407-1-0404	SA213T347H	44.5mmOD*3.81MW*7400mmLG	7.4	pcs	62	458.8
140407-1-0404	SA213T347H	44.5mmOD*3.81MW*7500mmLG	7.5	pcs	88	660.0
140407-1-0404	SA213T347H	44.5mmOD*3.81MW*7800mmLG	7.8	pcs	4	31.2
140407-1-0404	SA213T347H	44.5mmOD*3.81MW*8000mmLG	8.0	pcs	42	336.0
140407-1-0405	SA213-TP347H	44.50mmOD*3.81mmMW*3200mmLG	3.2	pcs	1	3.2
140407-1-0801	SA213TP304H	54MMOD*5MMMWW	4.7	pcs	1	4.7
141721-3-0101	SA213TP347H	38mmOD*4.2mmMW*10000mmLG	10.0	pcs	1	10.0
141721-3-0101	SA213TP347H	38mmOD*4.2mmMW*7800mmLG	7.8	pcs	1	7.8
141721-3-0104	SA213TP347H	38mmOD*4.2mmWT*7600mmLG	7.6	pcs	1	7.6
141721-3-0107	SA213TP347H	38mmOD*4.2mmWT*11000mmLG	11.0	pcs	2	22.0
141722-3-0201	SA213TP347H	38mmOD*4.8mmWT*10000mmLG	10.0	pcs	14	140.0
141722-3-0201	SA213TP347H	38mmOD*4.8mmWT*10000mmLG	10.0	pcs	5	50.0
141722-3-0201	SA213TP347H	38mmOD*4.8mmWT*10000mmLG	10.0	pcs	3	30.0
141722-3-0201	SA213TP347H	38mmOD*4.8mmWT*10000mmLG	10.0	pcs	1	10.0

List For Tube (Stainless)

Code Number	Material specification	Dimension	Length (M)/pc	Unit	Present on hand(pc)	Present on hand(M)
141722-3-0201	SA213TP347H	38mmOD*4.8mmWT*10000mmLG	10.0	pcs	1	10.0
141722-3-0202	SA213TP347H	38mmOD*4.8mmWT*7700mmLG	7.7	pcs	3	23.1
141734-3-0101	SA213TP347H	38mmOD*4.2mmMT*6600mmLG	6.6	pcs	2	13.2
144336-1-0401	SA213TP304H	44.5mmOD*4.47mmMW*4100mmLG	4.1	pcs	1	4.1
144336-1-0402	SA213TP304H	44.5mmOD*4.65mmMW*9300mmLG	9.3	pcs	1	9.3
144336-1-0403	SA213TP304H	44.5mmOD*5.08mmMW*4000mmLG	4.0	pcs	1	4.0
144336-1-0404	SA213TP304H	44.5mmOD*5.92mmMW*7700mmLG	7.7	pcs	1	7.7
144336-1-0406	SA213TP304H	44.5mmOD*5.92mmMW	5.4	pcs	2	10.8
144336-1-0406	SA213TP304H	44.5mmOD*5.92mmMW	5.4	pcs	4	21.6
144336-1-0406	SA213TP304H	44.5mmOD*5.92mmMW	6.4	pcs	1	6.4
144336-1-0406	SA213TP304H	44.5mmOD*5.92mmMW	2.8	pcs	1	2.8
144336-1-0408	SA213TP304H	44.45mmOD*6.68mmMW	7.5	pcs	1	7.5
144336-1-0414	SA213TP304H	44.5mmOD*4.47mmMW*9900mmLG	9.9	pcs	1	9.9
144336-1-0415	SA213TP304H	44.5mmOD*4.65mmMW*9300mmLG	9.3	pcs	1	9.3
144336-1-2004	SA213TP304H	1.75"OD*0.233"MW*4400mmLG	4.4	pcs	2	8.8
144336-1-2004	SA213TP304H	1.75"OD*0.233"MW*4600mmLG	4.6	pcs	2	9.2
144336-1-2005	SA213TP304H	1.75"OD*0.263"MW*4800mmLG	4.8	pcs	2	9.6
144336-1-2005	SA213TP304H	1.75"OD*0.263"MW*9064mmLG	9.1	pcs	3	27.2
144340-1-0203	SA213TP304H	2.25"OD*0.22"MW*7315mmLG	7.3	pcs	1	7.3
144340-1-0203	SA213TP304H	2.25"OD*0.22"MW	3.2	pcs	1	3.2
144340-1-0204	SA213TP304H	2.25"OD*0.2"MW*5570mmLG	5.6	pcs	2	11.1
147549-1-0101	SA213TP304H	44.5mmOD*6.22mmMW*7100mmLG	7.1	pcs	2	14.2
151116-1-0601	SA213TP347HFG	38.1mmOD*4.19mmMW*6900mmLG	6.9	pcs	1	6.9
151116-1-0602	SA213TP347HFG	38.1mmOD*4.19mmMW*4200mmLG	4.2	pcs	1	4.2
151116-1-0602	SA213TP347HFG	38.1mmOD*4.19mmMW*9060mmLG	9.1	pcs	17	154.0
151116-1-0602	SA213TP347HFG	38.1mmOD*4.19mmMW	6.5	pcs	1	6.5
151116-1-0803	SA213TP304H	76.2mmOD*63.5mmID*8200mmLG	8.2	pcs	1	8.2
151116-1-4603	SA213TP304	33.7mmOD*3.38mmMW	4.3	pcs	1	4.3
151136-1-3402	SA213TP310S	42.4mmOD*2.7mmMW	5.4	pcs	1	5.4
151136-1-3402	SA213TP310S	42.4mmOD*2.7mmMW	1.2	pcs	1	1.2
151718-3-0205	SA213TP347H	38mmOD*4.2mmWT*8600mmLG	8.6	pcs	1	8.6
151718-3-0205	SA213TP347H	38mmOD*4.2mmWT*8600mmLG	8.6	pcs	2	17.2
151718-3-0205	SA213TP347H	38mmOD*4.2mmWT*8600mmLG	8.6	pcs	3	25.8
151718-3-0206	SA213TP347H	38mmOD*4.2mmWT*5000mmLG	5.0	pcs	4	20.0
151718-3-0211	SA213TP347H	38mmOD*4.2mmWT*9400mmLG	9.4	pcs	3	28.2
151730-3-0101	SA213TP347H	50.8mmOD*8.2mmWT*7550mmLG	7.6	pcs	14	105.7
151730-3-0101	SA213TP347H	50.8mmOD*8.2mmWT	3.8	pcs	1	3.8
151730-3-0101	SA213TP347H	50.8mmOD*8.2mmWT	3.8	pcs	1	3.8
151743-3-0201	SA213TP347H	44.5mmOD*4.8mm*11400mmLG	11.4	pcs	4	45.6
151743-3-0201	SA213TP347H	44.5mmOD*4.8mm	11.0	pcs	1	11.0
151743-3-0202	SA213TP347H	44.5mmOD*4mm*11400mmLG	11.4	pcs	7	79.8
151743-3-0204	SA213TP347H	44.5mmOD*4mm*9300mmLG	9.3	pcs	8	74.4
151743-3-0206	SA213TP347H	44.5mmOD*7.5mm	3.2	pcs	1	3.2
154308-3-0507	SA213TP304H	2.25"OD*0.28"MW*28.541"LG	8.7	pcs	4	34.8

List For Tube (Stainless)

Code Number	Material specification	Dimension	Length (M)/pc	Unit	Present on hand(pc)	Present on hand(M)
154308-3-0529	SA213TP304H	2.5"OD*0.529"MW*3.91MMLG	3.9	pcs	1	3.9
154308-3-0529	SA213TP304H	2.5"OD*0.529"MW*2.54MMLG	2.5	pcs	1	2.5
154344-1-0501	SA213TP304H	1.75"OD*0.18"MW*8350mm	8.4	pcs	2	16.7
154344-1-0501	SA213TP304H	1.75"OD*0.18"MW*3820mm	3.8	pcs	6	22.9
154344-1-0501	SA213TP304H	1.75"OD*0.18"MW*2000mm	2.0	pcs	1	2.0
154344-1-0502	SA213TP304H	1.75"OD*0.165"MW*5150mm	5.2	pcs	6	30.9
154344-1-1103	SA213TP304H	1.75"OD*0.412"MW	1.8	pcs	1	1.8
154344-1-1104	SA213TP304H	1.75"OD*0.44"MW	2.3	pcs	5	11.3
154344-1-1104	SA213TP304H	1.75"OD*0.44"MW	5.2	pcs	2	10.4
154344-1-1105	SA213TP304H	1.75"OD*0.45"MW	2.3	pcs	5	11.6
154344-1-2402	SA213TP304H	2.25"OD*0.25"MW	5.7	pcs	1	5.7
154706-3-0101	SA213TP347H	38mmOD*4.8mmWT*10000mmLG	10.0	pcs	19	190.0
154706-3-0101	SA213TP347H	38mmOD*4.8mmWT*10000mmLG	10.0	pcs	1	10.0
154706-3-0104	SA213TP347H	38mmOD*4.8mmWT*11700mmLG	11.7	pcs	1	11.7
154706-3-0104	SA213TP347H	38mmOD*4.8mmWT*9330mmLG	9.3	pcs	1	9.3
154706-3-0104	SA213TP347H	38mmOD*4.8mmWT*11700mmLG	11.7	pcs	11	128.7
154706-3-0104	SA213TP347H	38mmOD*4.8mmWT*11700mmLG	11.7	pcs	1	11.7
157326-3-0101	S-TEN1-TP	38.1OD*4.0MW*5060MMLG	5.1	pcs	1	5.1
161136-1-1109	SA213-TP347H(CF)	50.8mmOD*5.38mmMW*9500mm	9.5	pcs	1	9.5
161136-1-1109	SA213-TP347H(CF)	50.8mmOD*5.38mmMW	2.7	pcs	1	2.7
161136-1-3603	SA213TP310S	42.4mmID*4.1mmMW	2.3	pcs	1	2.3
161136-1-3603	SA213TP310S	42.4mmID*4.1mmMW	4.1	pcs	1	4.1
161136-1-3603	SA213TP310S	42.4mmID*4.1mmMW	3.6	pcs	1	3.6
161136-1-3603	SA213TP310S	42.4mmID*4.1mmMW	4.4	pcs	1	4.4
161136-1-3603	SA213TP310S	42.4mmID*4.1mmMW	3.7	pcs	1	3.7
161724-3-0208	SA213TP347H	50.8mmOD*7.8mmMW*8800mm	8.8	pcs	6	52.8
161724-3-0210	SA213TP347H	44.5mmOD*5.4mmMW*11900mm	11.9	pcs	6	71.4
161724-3-0210	SA213TP347H	44.5mmOD*5.4mmMW*11900mm	11.9	pcs	6	71.4
161724-3-0213	SA213TP347H	44.5mmOD*4mmMW*11900mm	11.9	pcs	12	142.8
164302-1-0101	SA213TP347H	2.25"OD*0.18"MW	4.7	pcs	1	4.7
164322-1-0301	SA213TP347HFG	1.75"OD*0.18"MW*3770mm	3.8	pcs	2	7.5
164322-1-0301	SA213TP347HFG	1.75"OD*0.18"MW*3470mm	3.5	pcs	1	3.5
164322-1-0301	SA213TP347HFG	1.75"OD*0.18"MW*1.1mm	1.1	pcs	3	3.3
164322-1-0301	SA213TP347HFG	1.75"OD*0.18"MW*1mm	1.0	pcs	1	1.0
164322-1-0306	SA213TP347HFG	1.75"OD*0.18"MW*10800mm	10.8	pcs	5	54.0
164322-1-0306	SA213TP347HFG	1.75"OD*0.18"MW*6000mm	6.0	pcs	1	6.0
164322-1-0306	SA213TP347HFG	1.75"OD*0.18"MW*8730mm	8.7	pcs	1	8.7
164322-1-0307	SA213TP347HFG	1.75"OD*0.22"MW*3195mm	3.2	pcs	2	6.4
164322-1-0307	SA213TP347HFG	1.75"OD*0.22"MW*3195mm	3.2	pcs	2	6.4
164322-1-0308	SA213TP347HFG	1.75"OD*0.22"MW*8200mm	8.2	pcs	5	41.0
164322-1-0403	SA213TP347HFG	1.75"OD*0.22"MW*8500mm	8.5	pcs	5	42.5
164322-1-0601	SA213TP347HFG	1.75"OD*0.362"MW	5.3	pcs	1	5.3
164322-1-0702	SA213TP304H	2.25"OD*0.25"MW*3200mm	3.2	pcs	1	3.2
164322-1-0702	SA213TP304H	2.25"OD*0.25"MW*6100mm	6.1	pcs	1	6.1

List For Tube (Stainless)

Code Number	Material specification	Dimension	Length (M)/pc	Unit	Present on hand(pc)	Present on hand(M)
164520-1-0102	SA213TP304H	2.25"OD*0.197"MW*8600mm	8.6	pcs	1	8.6
164537-1-0101	SA213TP304H	2.25"OD*0.197"MW	7.4	pcs	1	7.4
171712-3-0304	SA213TP347H	44.5mmOD x 5.0mmMW x 11900mmLG	11.9	pcs	2	23.8
171712-3-0304	SA213TP347H	44.5mmOD x 5.0mmMW	3.3	pcs	1	3.3
171712-3-0310	SA213TP347H	50.8mmOD x 7.5mmMW x 7900mmLG	7.9	pcs	3	23.7
171712-3-0311	SA213TP347H	44.5mmOD x 4.0mmMW x 11900mmLG	11.9	pcs	4	47.6
171712-3-0311	SA213TP347H	44.5mmOD x 4.0mmMW x 11900mmLG	11.9	pcs	1	11.9
171712-3-0311	SA213TP347H	44.5mmOD x 4.0mmMW x 11900mmLG	11.9	pcs	2	23.8
171712-3-0311	SA213TP347H	44.5mmOD x 4.0mmMW	4.1	pcs	1	4.1
171712-3-0311	SA213TP347H	44.5mmOD x 4.0mmMW	9.8	pcs	1	9.8
171712-3-0315	SA213TP347H	50.8mmOD x 7.5mmMW x 10200mmLG	10.2	pcs	3	30.6
171738-3-0107	SA213TP347H	44.5mmOD*5.6mmMW*11600mmLG	11.6	pcs	8	92.8
171738-3-0107	SA213TP347H	44.5mmOD*5.6mmMW	1.8	pcs	1	1.8
171738-3-0111	SA213TP347H	50.8mmOD*12mmMW	8.8	pcs	1	8.8
171738-3-0114	SA213TP347H	44.5mmOD*4mmMW	2.5	pcs	1	2.5
171738-3-0115	SA213TP347H	44.5mmOD*4mmMW*11500mmLG	11.5	pcs	8	92.0
171738-3-0115	SA213TP347H	44.5mmOD*4mmMW	2.3	pcs	1	2.3
171738-3-0119	SA213TP347H	50.8mmOD*8.4mmMW*6400mmLG	6.4	pcs	4	25.6
171738-3-0119	SA213TP347H	50.8mmOD*8.4mmMW	4.4	pcs	1	4.4
174519-1-0105	SA213TP304H	2.25"OD*0.315"MW	4.2	pcs	1	4.2
181133-1-0902	SA213-TP304	44.5mmOD*2.6mmMW	3.2	pcs	1	3.2
181134-1-0301	SA213-TP347H	38.1mmOD*4.19mmMW*12000mmLG	12.0	pcs	2	24.0
181134-1-0301	SA213-TP347H	38.1mmOD*4.19mmMW*12000mmLG	12.0	pcs	14	168.0
181134-1-0301	SA213-TP347H	38.1mmOD*4.19mmMW*12000mmLG	12.0	pcs	3	36.0
181134-1-0301	SA213-TP347H	38.1mmOD*4.19mmMW	4.0	pcs	1	4.0
181134-1-0305	SA213-TP347H	38.1mmOD*4.19mmMW*10000mmLG	10.0	pcs	3	30.0
184343-1-0202	SA213-TP304H	1.75"OD*0.28"MW	4.5	pcs	1	4.5
184343-1-0301	SA213-TP347H	1.75"OD*0.28"MW	5.2	pcs	1	5.2
184343-1-0301	SA213-TP347H	1.75"OD*0.28"MW	4.4	pcs	1	4.4
184424-3-0120	TP304	15.875*1.32*12000mm	12.0	pcs	4	48.0
184424-3-0218	TP304	15.875*1.346*11000mm	11.0	pcs	3	33.0
184809-1-0102	SA213TP347H	2.25"OD*0.244"MW	3.0	pcs	1	3.0
184809-1-0102	SA213TP347H	2.25"OD*0.244"MW	3.6	pcs	1	3.6
184809-1-0102	SA213TP347H	2.25"OD*0.244"MW	1.7	pcs	1	1.7
191708-3-0207	SA213TP347H	44.5mmOD*5.2mmMW*11900mmLG	11.9	pcs	7	83.3
191708-3-0208	SA213TP347H	44.5mmOD*5.2mmMW*10200mmLG	10.2	pcs	4	40.8
191708-3-0210	SA213TP347H	50.8mmOD*12mmMW*9600mm	9.6	pcs	5	48.0
191708-3-0210	SA213TP347H	50.8mmOD*12mmMW*9600mm	9.6	pcs	4	38.4
191708-3-0210	SA213TP347H	50.8mmOD*12mmMW	2.6	pcs	1	2.6
191708-3-0211	SA213TP347H	50.8mmOD*12mmMW	1.7	pcs	1	1.7
191708-3-0212	SA213TP347H	44.5mmOD*4mmMW*10000mmLG	10.0	pcs	7	70.0
191708-3-0213	SA213TP347H	44.5mmOD*4mmMW*8500mmLG	8.5	pcs	2	17.0
191708-3-0214	SA213TP347H	44.5mmOD*4mmMW*10600mm	10.6	pcs	2	21.2
191708-3-0214	SA213TP347H	44.5mmOD*4mmMW	10.6	pcs	1	10.6

List For Tube (Stainless)

Code Number	Material specification	Dimension	Length (M)/pc	Unit	Present on hand(pc)	Present on hand(M)
191708-3-0215	SA213TP347H	44.5mmOD*4mmMW*10300mm	10.3	pcs	1	10.3
191708-3-0216	SA213TP347H	50.8mmOD*7.8mmAW*8600mm	8.6	pcs	1	8.6
191708-3-0216	SA213TP347H	50.8mmOD*7.8mmAW*8600mm	8.6	pcs	5	43.0
191708-3-0216	SA213TP347H	50.8mmOD*7.8mmAW	6.1	pcs	1	6.1
191708-3-0217	SA213TP347H	50.8mmOD*7.8mmAW	2.5	pcs	1	2.5
191742-1-1001	SA213-TP304	50.8mmOD*45.5mmID	6.2	pcs	1	6.2
191742-3-0205	SA213-TP347H	44.5*5MW*11850MM	11.9	pcs	6	71.1
191742-3-0208	SA213-TP347H	44.5OD*4MW*11900MM	11.9	pcs	9	107.1
191742-3-0213	SA213-TP347H	50.8*7.5MW*11500MM	11.5	pcs	5	57.5
193816-1-0107	SA213-TP347H	57.2mmOD*5.59mmMW*8000mm	8.0	pcs	1	8.0
194343-1-0508	SA213-TP304H	50.8OD*7.34MW*8230MM	8.2	pcs	3	24.7
194343-1-0601	SA213-TP304H	57.15OD*8.13MW	3.6	pcs	1	3.6
194343-1-0605	SA213-TP304H	57.15OD*10.52MW	2.4	pcs	1	2.4
194343-1-0606	SA213-TP304H	57.15OD*11.51MW	3.2	pcs	1	3.2
194343-1-0702	SA213-TP347H	50.8OD*7.09MW*10230MM	10.2	pcs	3	30.7
194343-1-0702	SA213-TP347H	50.8OD*7.09MW	8.3	pcs	1	8.3
194343-1-0709	SA213-TP347H	50.8OD*7.34MW	5.2	pcs	1	5.2
194343-1-0709	SA213-TP347H	50.8OD*7.34MW*11250MM	11.3	pcs	2	22.5
194343-1-0710	SA213-TP347H	50.8OD*8.05MW*7100MM	7.1	pcs	2	14.2
194343-1-0802	SA213-TP347H	50.8OD*7.34MW	5.6	pcs	1	5.6
194513-1-0102	SA213-TP304H	50.8mmOD*4.83mmMW*10550mm	10.6	pcs	1	10.6
194513-1-0102	SA213-TP304H	50.8mmOD*4.83mmMW	3.4	pcs	1	3.4
194513-1-0208	SA213-TP304H	57.15mmOD*5mmMW	10.3	pcs	1	10.3
194513-1-0208	SA213-TP304H	57.15mmOD*5mmMW	8.4	pcs	1	8.4
194513-1-0303	SA213-TP304H	57.15mmOD*7.97mmMW	5.0	pcs	1	5.0
194532-3-0201	SA213-TP347HFG	50.8mmOD*12.7mmMW*9000MM	9.0	pcs	1	9.0
194739-3-0103	SUS347HTB	38OD*5MW	2.1	pcs	1	2.1
201003-7-0014	SA213TP304H	1.75**0.15**MW*34.833'	10.6	pcs	1	10.6
201003-7-0014	SA213TP304H	1.75**0.15**MW*6000MM	6.0	pcs	1	6.0
201003-7-0015	SA213TP304H	2.215**0.149**MW*27.667'	8.4	pcs	3	25.3
201003-7-0015	SA213TP304H	2.215**0.149**MW*27.667'	8.4	pcs	3	25.3
201003-7-0020	SA213TP347H	1.9**0.175**MW*30'	9.1	pcs	3	27.4
201003-7-0020	SA213TP347H	1.9**0.175**MW	8.0	pcs	1	8.0
201003-7-2801	SA213TP304H	1.75**0.15**MW*34.833'	10.6	pcs	104	1104.2
201003-7-2801	SA213TP304H	1.75**0.15**MW *34.833'	10.6	pcs	14	148.6
201003-7-2801	SA213TP304H	1.75**0.15**MW *34.833'	10.6	pcs	18	191.1
201003-7-2801	SA213TP304H	1.75**0.15**MW *34.833'	10.6	pcs	52	552.1
201003-7-2801	SA213TP304H	1.75**0.15**MW *34.833'	10.6	pcs	176	1868.6
201003-7-2801	SA213TP304H	1.75**0.15**MW *34.833'	10.6	pcs	5	53.1
201003-7-2801	SA213TP304H	1.75**0.15**MW *34.833'	10.6	pcs	1	10.6
201003-7-2801	SA213TP304H	1.75**0.15**MW *34.833'	10.6	pcs	168	1783.7
201003-7-2801	SA213TP304H	1.75**0.15**MW *34.833'	10.6	pcs	9	95.6
201003-7-2801	SA213TP304H	1.75**0.15**MW *34.833'	10.6	pcs	1	10.6
201003-7-2801	SA213TP304H	1.75**0.15**MW *34.833'	10.6	pcs	42	445.9

List For Tube (Stainless)

Code Number	Material specification	Dimension	Length (M)/pc	Unit	Present on hand(pc)	Present on hand(M)
201003-7-2801	SA213TP304H	1.75**0.15"MW *34.833'	10.6	pcs	118	1252.8
201003-7-2801	SA213TP304H	1.75**0.15"MW *34.833'	10.6	pcs	1	10.6
201003-7-2801	SA213TP304H	1.75**0.15"MW*34.833'	10.6	pcs	4	42.5
201003-7-2801	SA213TP304H	1.75**0.15"MW	7.6	pcs	1	7.6
201003-7-2801	SA213TP304H	1.75**0.15"MW *34.833'	10.6	pcs	5	53.1
201003-7-2801	SA213TP304H	1.75**0.15"MW *9800MM	9.8	pcs	1	9.8
201003-7-2801	SA213TP304H	1.75**0.15"MW *34.833'	10.6	pcs	19	201.7
201003-7-2801	SA213TP304H	1.75**0.15"MW *34.833'	10.6	pcs	7	74.3
201003-7-2801	SA213TP304H	1.75**0.15"MW	3.0	pcs	1	3.0
201003-7-2802	SA213TP304H	1.75**0.15"MW *27.5'	8.4	pcs	6	50.3
201003-7-2802	SA213TP304H	1.75**0.15"MW *27.5'	8.4	pcs	6	50.3
201003-7-2802	SA213TP304H	1.75**0.15"MW *27.5'	8.4	pcs	33	276.6
201003-7-2802	SA213TP304H	1.75**0.15"MW *27.5'	8.4	pcs	34	285.0
201003-7-2802	SA213TP304H	1.75**0.15"MW *27.5'	8.4	pcs	99	829.8
201003-7-2802	SA213TP304H	1.75**0.15"MW *27.5'	8.4	pcs	78	653.8
201003-7-2802	SA213TP304H	1.75**0.15"MW *27.5'	8.4	pcs	63	528.1
201003-7-2802	SA213TP304H	1.75**0.15"MW *27.5'	8.4	pcs	5	41.9
201003-7-2802	SA213TP304H	1.75**0.15"MW *27.5'	8.4	pcs	2	16.8
201003-7-2802	SA213TP304H	1.75**0.15"MW *27.5'	8.4	pcs	15	125.7
201003-7-2802	SA213TP304H	1.75**0.15"MW *27.5'	8.4	pcs	21	176.0
201003-7-2802	SA213TP304H	1.75**0.15"MW *27.5'	8.4	pcs	24	201.2
201003-7-2802	SA213TP304H	1.75**0.15"MW *27.5'	8.4	pcs	77	645.4
201003-7-2802	SA213TP304H	1.75**0.15"MW *27.5'	8.4	pcs	2	16.8
201003-7-2802	SA213TP304H	1.75**0.15"MW *27.5'	8.4	pcs	2	16.8
201003-7-2802	SA213TP304H	1.75**0.15"MW *27.5'	8.4	pcs	24	201.2
201003-7-2802	SA213TP304H	1.75**0.15"MW *27.5'	8.4	pcs	224	1877.6
201003-7-2802	SA213TP304H	1.75**0.15"MW *27.5'	8.4	pcs	96	804.7
201003-7-2802	SA213TP304H	1.75**0.15"MW *27.5'	8.4	pcs	58	486.2
201003-7-2802	SA213TP304H	1.75**0.15"MW *27.5'	8.4	pcs	65	544.8
201003-7-2802	SA213TP304H	1.75**0.15"MW *27.5'	8.4	pcs	24	201.2
201003-7-2802	SA213TP304H	1.75**0.15"MW *27.5'	8.4	pcs	75	628.7
201003-7-2802	SA213TP304H	1.75**0.15"MW *27.5'	8.4	pcs	43	360.4
201003-7-2802	SA213TP304H	1.75**0.15"MW *27.5'	8.4	pcs	2	16.8
201003-7-2802	SA213TP304H	1.75**0.15"MW *27.5'	8.4	pcs	3	25.1
201003-7-2802	SA213TP304H	1.75**0.15"MW *27.5'	8.4	pcs	24	201.2
201003-7-2802	SA213TP304H	1.75**0.15"MW *27.5'	8.4	pcs	195	1634.5
201003-7-2802	SA213TP304H	1.75**0.15"MW *27.5'	8.4	pcs	105	880.1
201003-7-2802	SA213TP304H	1.75**0.15"MW *27.5'	8.4	pcs	189	1584.2
201003-7-2802	SA213TP304H	1.75**0.15"MW *27.5'	8.4	pcs	3	25.1
201003-7-2802	SA213TP304H	1.75**0.15"MW *27.5'	8.4	pcs	9	75.4
201003-7-2802	SA213TP304H	1.75**0.15"MW *4050MM	4.1	pcs	1	4.1
201003-7-2803	SA213TP347H	1.75**0.15"MW *27.667'	5.4	pcs	1	5.4
201003-7-2808	SA213TP304H	2.215**0.149"MW*27.667'	8.4	pcs	11	92.8
201003-7-2808	SA213TP304H	2.215**0.149"MW*27.667'	8.4	pcs	11	92.8

List For Tube (Stainless)

Code Number	Material specification	Dimension	Length (M)/pc	Unit	Present on hand(pc)	Present on hand(M)
201310-3-0101	SA213TP347H	38MMOD*4.2MMM*10000MM	10.0	pcs	2	20.0
201310-3-0101	SA213TP347H	38MMOD*4.2MMM*10000MM	10.0	pcs	2	20.0
201706-1-0801	SA213-TP304	50.8OD*3.65MW	3.5	pcs	1	3.5
201706-1-0801	SA213-TP304	50.8OD*3.65MW	7.1	pcs	1	7.1
201706-1-0801	SA213-TP304	50.8OD*3.65MW	7.4	pcs	1	7.4
201706-1-0802	SA213-TP304	50.8OD*3.65MW	7.7	pcs	1	7.7
201706-1-0802	SA213-TP304	50.8OD*3.65MW	2.8	pcs	1	2.8
201706-3-0206	SA213-TP347H	44.5OD*5.6MW	11.0	pcs	1	11.0
201706-3-0209	SA213-TP347H	44.5OD*4MW	3.6	pcs	1	3.6
201706-3-0209	SA213-TP347H	44.5OD*4MW*11800MM	11.8	pcs	7	82.6
201706-3-0212	SA213-TP347H	50.8OD*12MW	4.4	pcs	1	4.4
201706-3-0214	SA213-TP347H	50.8OD*12MW*9600MM	9.6	pcs	4	38.4
201706-3-0217	SA213-TP347H	50.8OD*7.5MW*11500MM	11.5	pcs	4	46.0
201707-3-0102	SA213-TP347H	44.5OD*5MW*11600MM	11.6	pcs	5	58.0
201707-3-0103	SA213-TP347H	44.5OD*4.2MW*9150MM	9.2	pcs	4	36.6
201707-3-0105	SA213-TP347H	50.8OD*7.5MW*11000MM	11.0	pcs	1	11.0
201707-3-0105	SA213-TP347H	50.8OD*7.5MW*11000MM	11.0	pcs	4	44.0
201707-3-0106	SA213-TP347H	44.5OD*4.2MW*11400MM	11.4	pcs	2	22.8
201707-3-0109	SA213-TP347H	50.8OD*8MW*11400MM	11.4	pcs	4	45.6
201707-3-0109	SA213-TP347H	50.8OD*8MW	10.2	pcs	1	10.2
204813-1-0302	SA213-TP304	50.8OD*3.81MW*2000MM	2.0	pcs	1	2.0
320260-1-0708	SA213TP347HFG	50.8mmOD*10.16mmMW*1440mmLG	1.4	pcs	1	1.4
320260-1-0709	SA213-TP347HFG	50.8mmOD*6.1mmMW*5860mmLG	5.9	pcs	1	5.9
320260-1-0709	SA213-TP347HFG	50.8mmOD*6.1mmMW*5800mmLG	5.8	pcs	1	5.8
320260-1-4201	SA213-TP347HFG	44.5mmOD*3.81mmMW*7500mmLG	7.5	pcs	5	37.5
320260-1-7405	SA213-S30815	139.7mmOD*5mmMW	0.7	pcs	1	0.7
320260-1-7405	SA213-S30815	139.7mmOD*5mmMW	0.8	pcs	1	0.8
320260-1-7405	SA213-S30815	139.7mmOD*5mmMW	0.8	pcs	1	0.8
320260-1-7405	SA213-S30815	139.7mmOD*5mmMW	0.9	pcs	1	0.9
320260-1-7405	SA213-S30815	139.7mmOD*5mmMW	1.0	pcs	1	1.0
320260-1-7405	SA213-S30815	139.7mmOD*5mmMW	1.3	pcs	1	1.3
500205-3-0103	CODE CASE2328	50.8*0.25**20'	5.2	pcs	1	5.2
500205-3-0103	CODE CASE2328	50.8*0.25**20'	6.1	pcs	1	6.1
500205-3-0103	CODE CASE2328	50.8*0.25**20'	2.4	pcs	1	2.4
500205-3-0201	XA704	50.8*4.9	3.4	pcs	2	6.8
500205-3-0202	XA704	50.8*4.2	3.7	pcs	1	3.7
500205-3-0203	NF709	50.8*6.0	5.5	pcs	1	5.5
500205-3-0204	NF709	50.8*6.0	2.3	pcs	1	2.3
500205-3-0205	NF709	50.8*4.5	4.5	pcs	1	4.5
500205-3-0302	18Cr-9Ni-3Cu-Nb-N	51*7.5AW	5.3	pcs	1	5.3
720812-1-0410	SA213TP347H	2.25"OD*0.18"MW*9350mm	9.4	pcs	3	28.1
720812-1-0410	SA213TP347H	2.25"OD*0.18"MW	8.9	pcs	1	8.9
FKBT2228/120231	SA213TP304H	2.25**0.165"MW	9.8	pcs	1	9.8
FKBT2228/120231	SA213TP304H	2.25**0.165"MW	7.9	pcs	1	7.9