

List For Tube (C.S & A.S)

Code Number	Material specification	Dimension	Length (M)/pc	Unit	Present on hand(pc)	Present on hand(M)
125127-1-1301	SA213T91	50.8*5.33MW	7.8	pcs	1	7.8
125127-1-2401	SA213T12	120.7*11.71MW	10.7	pcs	2	21.3
125127-1-2401	SA213T12	120.7*11.71MW	3.4	pcs	2	6.9
125127-1-2401	SA213T12	120.7*11.71MW	3.6	pcs	2	7.3
125127-1-2401	SA213T12	120.7*11.71MW	3.9	pcs	2	7.7
125127-1-2401	SA213T12	120.7*11.71MW	4.1	pcs	2	8.1
125127-1-2401	SA213T12	120.7*11.71MW	4.3	pcs	2	8.5
125127-1-2401	SA213T12	120.7*11.71MW	4.5	pcs	2	9.0
125127-1-2401	SA213T12	120.7*11.71MW	7.2	pcs	1	7.2
125127-1-2601	SA210C	82.6*7.57MW	8.2	pcs	3	24.6
140407-1-0204	SA213T91	44.50mmOD*6.17mmMW	7.4	pcs	1	7.4
140407-1-0204	SA213T91	44.50mmOD*6.17mmMW	8.5	pcs	2	16.9
140407-1-0205	SA213T91	44.50mmOD*8.92mmMW*10500mmLG	10.5	pcs	3	31.5
140407-1-0205	SA213T91	44.50mmOD*8.92mmMW	3.0	pcs	1	3.0
144335-3-0206	SA213T23	2"OD*0.313"MW	2.5	pcs	1	2.5
147328-1-1002	SA213T91	38.1*7.62MW	8.2	PCS	469	3,845.8
147328-1-1002	SA213T91	38.1*7.62MW	8.2	PCS	489	4,009.8
147328-1-1002	SA213T91	38.1*7.62MW	6.3	PCS	1	6.3
147328-1-1003	SA213T91	38.1*7.62MW	12.0	PCS	737	8,844.0
147328-1-1003	SA213T91	38.1*7.62MW	10.0	PCS	1	10.0
151116-1-0501	SA213T91	50.8mmOD*9.14mmMW*7800mmLG	7.8	pcs	7	54.6
151116-1-0501	SA213T91	50.8mmOD*9.14mmMW*5900mmLG	5.9	pcs	1	5.9
151116-1-0501	SA213T91	50.8mmOD*9.14mmMW*3400mmLG	3.4	pcs	1	3.4
151116-1-0501	SA213T91	50.8mmOD*9.14mmMW*3600mmLG	3.6	pcs	1	3.6
151116-1-0501	SA213T91	50.8mmOD*9.14mmMW*7800mmLG	7.8	pcs	1	7.8
151116-1-0502	SA213T91	50.8mmOD*11.18mmMW*7400mmLG	7.4	pcs	6	44.4
151116-1-0502	SA213T91	50.8mmOD*11.18mmMW	3.1	pcs	1	3.1
151116-1-0503	SA213T91	63.5mmOD*7.62mmMW*12900mmLG	12.9	pcs	1	12.9
151116-1-0503	SA213T91	63.5mmOD*7.62mmMW	5.9	pcs	1	5.9
151136-1-0202	SA213T91	38.1mmOD*5.59mmMW	4.0	pcs	1	4.0
151136-1-0206	SA213T91	38.1mmOD*6.1mmMW*4980mm	5.0	pcs	1	5.0
151136-1-0404	SA213T91	38.1mmOD*4.19mmMW	7.7	pcs	1	7.7
151136-1-0405	SA213T91	38.1mmOD*4.19mmMW*8160mm	8.2	pcs	1	8.2
151136-1-2802	SA213T91	38.1mmOD*4.19mmMW*4030mm	4.0	pcs	1	4.0
151730-1-0101	SA213T91	50.8mmOD*6.5mmMW*9500mm	9.5	pcs	25	237.5
151730-1-0101	SA213T91	50.8mmOD*6.5mmMW*9500mm	9.5	pcs	1	9.5
151730-1-0101	SA213T91	50.8mmOD*6.5mmMW*9500mm	9.5	pcs	1	9.5
151730-1-0101	SA213T91	50.8mmOD*6.5mmMW	8.0	pcs	1	8.0
151730-1-1002	SA210C	44.5mmOD*7.6mmMW	3.8	pcs	1	3.8
151743-3-0302	KA-STBA28	44.5mmOD*4mm*3520mmLG	3.5	pcs	1	3.5
151743-3-0302	KA-STBA28	44.5mmOD*4mm*6500mmLG	6.5	pcs	7	45.5
151743-3-0303	KA-STBA28	44.5mmOD*5.4mm*5500mmLG	5.5	pcs	1	5.5
161136-1-1107	SA213T91	50.8mmOD*5.38mmMW*10690mm	10.7	pcs	2	21.4
161136-1-1108	SA213T91	50.8mmOD*8.76mmMW*7000mm	7.0	pcs	4	28.0

List For Tube (C.S & A.S)

Code Number	Material specification	Dimension	Length (M)/pc	Unit	Present on hand(pc)	Present on hand(M)
161136-1-1108	SA213T91	50.8mmOD*8.76mmMW*4700mm	4.7	pcs	1	4.7
161136-1-1205	SA213T91	38.1mmOD*5.08mmMW	6.0	pcs	1	6.0
161136-1-1205	SA213T91	38.1mmOD*5.08mmMW*8100mm	8.1	pcs	1	8.1
161136-1-1206	SA213T91	38.1mmOD*8.13mmMW*8800mm	8.8	pcs	2	17.6
161136-1-1206	SA213T91	38.1mmOD*8.13mmMW	7.8	pcs	1	7.8
161247-1-0205	16Mo3	31.8mmOD*4.5mmAW	2.0	pcs	1	2.0
161247-1-0206	16Mo3	31.8mmOD*4.5mmAW	5.2	pcs	1	5.2
161247-1-0206	16Mo3	31.8mmOD*4.5mmAW	11.0	pcs	1	11.0
161247-1-0206	16Mo3	31.8mmOD*4.5mmAW*11700mm	11.7	pcs	14	163.8
161247-1-0207	16Mo3	31.8mmOD*4.5mmAW	4.5	pcs	1	4.5
161247-1-0208	16Mo3	31.8mmOD*4.5mmAW	4.0	pcs	1	4.0
161247-1-0208	16Mo3	31.8mmOD*4.5mmAW*11000mm	11.0	pcs	7	77.0
161247-1-0208	16Mo3	31.8mmOD*4.5mmAW*11000mm	11.0	pcs	2	22.0
161247-1-0501	P235GH	31.8mmOD*4.5mmAW*10600mm	10.6	pcs	4	42.4
161247-1-0501	P235GH	31.8mmOD*4.5mmAW	10.4	pcs	1	10.4
161247-1-0503	P235GH	31.8mmOD*4.5mmAW*11550mm	11.6	pcs	5	57.8
161247-1-0503	P235GH	31.8mmOD*4.5mmAW	2.2	pcs	1	2.2
161247-1-0801	16Mo3	88.9mmOD*14.2mmAW	5.0	pcs	3	15.0
161724-1-0802	SA213T11	44.5mmOD*5.8mmMW	9.5	pcs	1	9.5
161724-3-0201	K-STBA28	38mmOD*5.2mmMW*11550mm	11.6	pcs	2	23.1
161724-3-0201	K-STBA28	38mmOD*5.2mmMW	9.6	pcs	1	9.6
161724-3-0202	K-STBA28	38mmOD*5.2mmMW	6.1	pcs	1	6.1
161724-3-0202	K-STBA28	38mmOD*5.2mmMW*5370mm	5.4	pcs	1	5.4
161724-3-0203	K-STBA28	50.8mmOD*7mmMW*7500mm	7.5	pcs	5	37.5
161724-3-0204	K-STBA28	44.5mmOD*4.2mmMW*8400mm	8.4	pcs	11	92.4
161724-3-0204	K-STBA28	44.5mmOD*4.2mmMW	2.6	pcs	1	2.6
161724-3-0205	K-STBA28	44.5mmOD*2.5mmMW*10000mm	10.0	pcs	3	30.0
164348-1-0302	SA213T22	31.75mmOD*3.67mmMW	10.3	pcs	1	10.3
164526-1-0102	SA210C	3.25"OD*0.332"MW*6750mm	6.8	pcs	1	6.8
164526-1-0102	SA210C	3.25"OD*0.332"MW*6750mm	6.8	pcs	1	6.8
171712-1-0501	SA210C	31.8MMOD x 4mmMW	5.1	pcs	1	5.1
171712-3-0201	K-STBA28	50.8mmOD x 6mmMW x 9000mmLG	9.0	pcs	2	18.0
171712-3-0201	K-STBA28	50.8mmOD x 6mmMW	6.6	pcs	1	6.6
171712-3-0201	K-STBA28	50.8mmOD x 6mmMW	9.0	pcs	1	9.0
171712-3-0202	K-STBA28	44.5mmOD x 4.0mmMW	11.9	pcs	1	11.9
171712-3-0202	K-STBA28	44.5mmOD x 4.0mmMW	4.4	pcs	1	4.4
171712-3-0203	K-STBA28	44.5mmOD x 4.0mmMW x 11700mmLG	11.7	pcs	8	93.6
171712-3-0203	K-STBA28	44.5mmOD x 4.0mmMW	11.5	pcs	1	11.5
171712-3-0203	K-STBA28	44.5mmOD x 4.0mmMW	6.2	pcs	1	6.2
171712-3-0206	K-STBA28	50.8mmOD x 6mmMW x 7100mmLG	7.1	pcs	1	7.1
171738-3-0105	K-STBA28	50.8mmOD*6.8mmMW	4.0	pcs	1	4.0
171738-3-0105	K-STBA28	50.8mmOD*6.8mmMW	9.7	pcs	2	19.4
171738-3-0106	K-STBA28	44.5mmOD*4mmMW	4.6	pcs	1	4.6
171738-3-0106	K-STBA28	44.5mmOD*4mmMW*8000mmLG	8.0	pcs	3	24.0

List For Tube (C.S & A.S)

Code Number	Material specification	Dimension	Length (M)/pc	Unit	Present on hand(pc)	Present on hand(M)
173327-1-2303	SA210C	88.9mmOD*9.74mmMW*5000mmLG	5.0	pcs	1	5.0
181133-1-1101	SA210-C	31.8mmOD*4.57mmMW	4.5	pcs	74	333.0
181133-1-1101	SA210-C	31.8mmOD*4.57mmMW	4.5	pcs	51	229.5
181133-1-1101	SA210-C	31.8mmOD*4.57mmMW*12000mmLG	12.0	pcs	9	108.0
181133-1-1101	SA210-C	31.8mmOD*4.57mmMW*12000mmLG	12.0	pcs	1	12.0
181133-1-1101	SA210-C	31.8mmOD*4.57mmMW*12000mmLG	12.0	pcs	1	12.0
181133-1-1101	SA210-C	31.8mmOD*4.57mmMW	9.0	pcs	1	9.0
181133-1-1101	SA210-C	31.8mmOD*4.57mmMW	7.0	pcs	1	7.0
181133-1-1102	SA210-C	31.8mmOD*4.57mmMW*10000mmLG	10.0	pcs	24	240.0
181133-1-1102	SA210-C	31.8mmOD*4.57mmMW*10000mmLG	10.0	pcs	7	70.0
181133-1-1103	SA210-C	31.8mmOD*4.57mmMW*10600mmLG	10.6	pcs	4	42.4
181134-1-0101	SA213-T91	38.1mmOD*4.19mmMW*12000mmLG	12.0	pcs	3	36.0
183842-0-0002	SA210C	76.2mmOD*7.11mmMW*10250MM	10.3	pcs	1	10.3
183842-0-0002	SA210C	76.2mmOD*7.11mmMW	3.2	pcs	1	3.2
183842-0-0003	SA210A1	76.2mmOD*7.11mmMW	2.3	pcs	1	2.3
183842-0-0003	SA210A1	76.2mmOD*7.11mmMW*10250MM	10.3	pcs	1	10.3
184315-1-0101	SA213T11	1-3/16"OD*0.203"MW*7100mmLG	7.1	pcs	7	49.7
184315-1-0101	SA213T11	1-3/16"OD*0.203"MW	4.4	pcs	1	4.4
184343-1-0401	SA213-T91	1.75"OD*0.24"MW*8650mm	8.7	pcs	1	8.7
184343-1-0401	SA213-T91	1.75"OD*0.24"MW*8650mm	8.7	pcs	12	103.8
184343-1-0401	SA213-T91	1.75"OD*0.24"MW	4.2	pcs	1	4.2
184343-1-0402	SA213-T91	1.75"OD*0.27"MW*8600mm	8.6	pcs	5	43.0
184343-1-0402	SA213-T91	1.75"OD*0.27"MW	7.6	pcs	1	7.6
184541-1-0206	SA210A1	50.8mmOD*5.1mmMW*7500mm	7.5	pcs	161	1,207.5
184541-1-0206	SA210A1	50.8mmOD*5.1mmMW*7500mm	7.5	pcs	7	52.5
184541-1-0207	SA210A1	50.8mmOD*5.1mmMW*8500mm	8.5	pcs	8	68.0
184541-1-0207	SA210A1	50.8mmOD*5.1mmMW*8500mm	8.5	pcs	341	2,898.5
184541-1-0207	SA210A1	50.8mmOD*5.1mmMW*8500mm	8.5	pcs	1	8.5
184541-1-0208	SA210A1	50.8mmOD*5.1mmMW*8900mm	8.9	pcs	198	1,762.2
184541-1-0209	SA210A1	50.8mmOD*5.1mmMW*10500mm	10.5	pcs	987	10,363.5
184541-1-0209	SA210A1	50.8mmOD*5.1mmMW*10500mm	10.5	pcs	13	136.5
184541-1-0210	SA210A1	50.8mmOD*5.1mmMW*11300mm	11.3	pcs	75	847.5
184541-1-0210	SA210A1	50.8mmOD*5.1mmMW	7.7	pcs	1	7.7
184541-1-0211	SA210A1	50.8mmOD*5.1mmMW*12000mm	12.0	pcs	93	1,116.0
191101-1-0301	SA213-T22	38.1mmOD*4.57mmMW	3.5	pcs	1	3.5
191101-1-0302	SA213-T22	38.1mmOD*5.08mmMW*11500mmLG	11.5	pcs	19	218.5
191101-1-0302	SA213-T22	38.1mmOD*5.08mmMW	11.2	pcs	1	11.2
191101-1-0302	SA213-T22	38.1mmOD*5.08mmMW*11500mmLG	11.5	pcs	1	11.5
191101-1-0302	SA213-T22	38.1mmOD*5.08mmMW	11.5	pcs	2	23.0
191101-1-0302	SA213-T22	38.1mmOD*5.08mmMW	8.0	pcs	1	8.0
191101-1-0303	SA213-T91	38.1mmOD*5.08mmMW	7.5	pcs	1	7.5
191101-1-0303	SA213-T91	38.1mmOD*5.08mmMW	11.2	pcs	1	11.2
191101-1-0303	SA213-T91	38.1mmOD*5.08mmMW	3.5	pcs	1	3.5
191101-1-0303	SA213-T91	38.1mmOD*5.08mmMW	2.2	pcs	28	62.2

List For Tube (C.S & A.S)

Code Number	Material specification	Dimension	Length (M)/pc	Unit	Present on hand(pc)	Present on hand(M)
191227-1-0407	SA210A1	63.5mmOD*10.16mmMW	2.3	pcs	1	2.3
191227-1-0407	SA210A1	63.5mmOD*10.16mmMW	5.0	pcs	1	5.0
191227-1-0501	SA213-T2	38.1mmOD*5.08mmMW*10800mmLG	10.8	pcs	2	21.6
191227-1-0605	SA210A1	38.1mmOD*4.57mmMW	14.6	pcs	1	14.6
191227-1-0704	SA210A1	31.8mmOD*4.19mmMW	12.0	pcs	2	24.0
191227-1-0704	SA210A1	31.8mmOD*4.19mmMW	3.8	pcs	1	3.8
191227-1-0704	SA210A1	31.8mmOD*4.19mmMW	5.8	pcs	1	5.8
191227-1-0804	SA210A1	44.5mmOD*4.19mmMW*9100mmLG	9.1	pcs	1	9.1
191227-1-0807	SA210A1	44.5mmOD*4.19mmMW	2.7	pcs	1	2.7
191227-2-2001	SA213-T22	44.45mmOD*11.18mmMW*3000MM	3.0	pcs	16	48.0
191708-1-0704	SA210-C	31.8mmOD*4mmMW	2.6	pcs	1	2.6
191708-1-0705	SA210-C	44.5mmOD*8.6mmMW*12000mmLG	12.0	pcs	1	12.0
191708-1-0803	SA213-T22	50.8mmOD*6.8mmMW	6.1	pcs	1	6.1
191708-1-1005	SA213-T22	44.5mmOD*6.2mmMW	10.1	pcs	1	10.1
191708-3-0201	KA-STPA28	50.8mmOD*7mmMW*7300mmLG	7.3	pcs	3	21.9
191708-3-0201	KA-STPA28	50.8mmOD*7mmMW	6.3	pcs	1	6.3
191708-3-0202	KA-STPA28	44.5mmOD*4mmMW*8500mmLG	8.5	pcs	3	25.5
191708-3-0202	KA-STPA28	44.5mmOD*4mmMW*8500mmLG	8.5	pcs	2	17.0
191742-1-0501	SA210-C	44.5OD*7.6MW	3.4	pcs	1	3.4
191742-1-0502	SA210C	44.5OD*7.6MW*7600MM	7.6	pcs	1	7.6
191742-1-0505	SA210-C	44.5OD*7.6MW*9700MM	9.7	pcs	6	58.2
191742-1-0707	SA213-T11	44.5OD*6.8MW*13800MM	13.8	pcs	2	27.6
191742-1-0707	SA213-T11	44.5OD*6.8MW*13800MM	13.8	pcs	1	13.8
191742-1-0708	SA213-T11	50.8OD*3.65MW*9000MM	9.0	pcs	3	27.0
191742-1-0711	SA213-T11	44.5OD*6.5MW*7300MM	7.3	pcs	2	14.6
191742-1-0806	SA210C	44.5OD*5.6MW*13300MM	13.3	pcs	1	13.3
191742-1-0806	SA210C	44.5OD*5.6MW	8.5	pcs	1	8.5
191742-1-0806	SA210C	44.5OD*5.6MW	2.5	pcs	1	2.5
191742-1-0807	SA210C	44.5OD*4MW*10800MM	10.8	pcs	1	10.8
191742-1-0807	SA210C	44.5OD*4MW	3.3	pcs	1	3.3
191742-1-0901	SA213-T11	50.8OD*5.2MW*7500MM	7.5	pcs	2	15.0
191742-1-0901	SA213-T11	50.8OD*5.2MW	2.8	pcs	1	2.8
191742-1-0902	SA213-T22	50.8OD*5.2MW*7400MM	7.4	pcs	3	22.2
191742-1-1103	SA210C	50.8OD*5.6MW	6.5	pcs	1	6.5
191742-1-1110	SA210-C	50.8OD*5.6MW	4.2	pcs	1	4.2
191742-3-0218	KA-STBA28 (火-STBA28)	50.8OD*5.6MW*9500MM	9.5	pcs	3	28.5
193814-1-1701	SA210-C	63.5mmOD*11mmMW	4.4	pcs	1	4.4
194338-1-0101	SA213-T2	1"OD*0.203"MW*9150mm	9.2	pcs	3	27.5
194739-3-0102	KA-STBA28	38OD*5MW*7600MM	7.6	pcs	12	91.2
194739-3-0102	KA-STBA28	38OD*5MW*6200MM	6.2	pcs	1	6.2
201003-3-1001	SA210C	3.5**0.365"MW	9.4	pcs	2	18.9
201003-3-1001	SA210C	3.5**0.365"MW*31'	9.4	pcs	28	264.6
201003-3-1001	SA210C	3.5**0.365"MW*31'	9.4	pcs	10	94.5
201003-7-0019	SA213T91	1.9**0.175"MW*31.25'	9.5	pcs	3	28.6

List For Tube (C.S & A.S)

Code Number	Material specification	Dimension	Length (M)/pc	Unit	Present on hand(pc)	Present on hand(M)
201003-7-3001	SA213T91	1.9**0.175"MW*25'	7.6	pcs	131	998.2
201003-7-3001	SA213T91	1.9**0.175"MW	1.8	pcs	1	1.8
201003-7-3001	SA213T91	1.9**0.175"MW*25'	7.6	pcs	42	320.0
201003-7-3001	SA213T91	1.9**0.175"MW*25'	7.6	pcs	62	472.4
201003-7-3001	SA213T91	1.9**0.175"MW*25'	7.6	pcs	139	1,059.2
201003-7-3001	SA213T91	1.9**0.175"MW*25'	7.6	pcs	121	922.0
201003-7-3001	SA213T91	1.9**0.175"MW	5.8	pcs	1	5.8
201003-7-3002	SA213T91	1.9**0.175"MW*22.25'	6.8	pcs	50	339.1
201003-7-3002	SA213T91	1.9**0.175"MW*22.25'	6.8	pcs	116	786.7
201003-7-3003	SA213T91	1.9**0.175"MW*26'	7.9	pcs	33	261.5
201003-7-3003	SA213T91	1.9**0.175"MW*26'	7.9	pcs	131	1,038.1
201003-7-3004	SA213T91	1.9**0.175"MW*27.5'	8.4	pcs	5	41.9
201003-7-3004	SA213T91	1.9**0.175"MW*27.5'	8.4	pcs	25	209.6
201003-7-3004	SA213T91	1.9**0.175"MW*27.5'	8.4	pcs	40	335.3
201003-7-3004	SA213T91	1.9**0.175"MW*27.5'	8.4	pcs	47	394.0
201003-7-3004	SA213T91	1.9**0.175"MW*27.5'	8.4	pcs	50	419.1
201003-7-3005	SA213T91	1.9**0.175"MW*25.75'	7.8	pcs	1	7.8
201003-7-3005	SA213T91	1.9**0.175"MW*25.75'	7.8	pcs	164	1,287.2
201003-7-3006	SA213T91	1.9**0.175"MW*28.5'	8.7	pcs	5	43.4
201003-7-3006	SA213T91	1.9**0.175"MW*28.5'	8.7	pcs	26	225.9
201003-7-3006	SA213T91	1.9**0.175"MW*28.5'	8.7	pcs	135	1,172.7
201003-7-3007	SA213T91	1.9**0.175"MW*29.5'	9.0	pcs	41	368.7
201003-7-3008	SA213T91	1.9**0.175"MW*31.25'	9.5	pcs	10	95.3
201003-7-3008	SA213T91	1.9**0.175"MW*31.25'	9.5	pcs	13	123.8
201003-7-3009	SA213T91	1.9**0.175"MW	8.5	pcs	1	8.5
201003-7-3009	SA213T91	1.9**0.175"MW*37.25'	11.4	pcs	109	1,237.6
201003-7-3009	SA213T91	1.9**0.175"MW*37.25'	11.4	pcs	30	340.6
201003-7-3009	SA213T91	1.9**0.175"MW*37.25'	11.4	pcs	70	794.8
201003-7-3009	SA213T91	1.9**0.175"MW*37.25'	11.4	pcs	6	68.1
201003-7-3009	SA213T91	1.9**0.175"MW*37.25'	11.4	pcs	33	374.7
201003-7-3009	SA213T91	1.9**0.175"MW*37.25'	11.4	pcs	140	1,589.5
201003-7-3009	SA213T91	1.9**0.175"MW	6.6	pcs	1	6.6
201212-1-0401	16Mo3	44.5OD*5AW*8750MM	8.8	pcs	1	8.8
201212-1-0401	16Mo3	44.5OD*5AW	7.1	pcs	1	7.1
201212-1-0402	13CrMo4-5	44.5OD*5AW*12000MM	12.0	pcs	3	36.0
201212-1-0403	13CrMo4-5	44.5OD*5AW	7.0	pcs	1	7.0
201212-1-0404	10CrMo9-10	44.5OD*5.6AW*12000MM	12.0	pcs	1	12.0
201212-1-0404	10CrMo9-10	44.5OD*5.6AW	7.0	pcs	1	7.0
201212-1-0405	10CrMo9-10	70OD*10MW*8500MM	8.5	pcs	3	25.5
201212-1-0405	10CrMo9-10	70OD*10MW	8.2	pcs	1	8.2
201212-1-0507	16Mo3	44.5OD*4.5AW*12000MM	12.0	pcs	1	12.0
201212-1-0609	16Mo3	63.5OD*5.6AW*12000MM	12.0	pcs	12	144.0
201706-1-0304	SA210C	63.5OD*8MW*10750MM	10.8	pcs	3	32.3
201706-1-0304	SA210C	63.5OD*8MW	6.9	pcs	1	6.9

List For Tube (C.S & A.S)

Code Number	Material specification	Dimension	Length (M)/pc	Unit	Present on hand(pc)	Present on hand(M)
201706-1-0306	SA210C	63.5OD*8MW*11550MM	11.6	pcs	3	34.7
201706-1-0308	SA210C	63.5OD*8MW	7.2	pcs	1	7.2
201706-1-0310	SA210C	63.5OD*8MW*12700MM	12.7	pcs	4	50.8
201706-1-0314	SA210C	63.5OD*8MW*10950MM	11.0	pcs	1	11.0
201706-1-0402	SA210C	31.8OD*4.5MW	2.5	pcs	1	2.5
201706-1-0402	SA210C	31.8OD*4.5MW	2.8	pcs	1	2.8
201706-1-0405	SA210C	31.8OD*4.5MW*11170MM	11.2	pcs	9	100.5
201706-1-0504	SA210C	44.5OD*6.6MW*9150MM	9.2	pcs	2	18.3
201706-1-0504	SA210C	44.5OD*6.6MW*9150MM	9.2	pcs	4	36.6
201706-1-0508	SA210C	44.5OD*6.6MW*10800MM	10.8	pcs	7	75.6
201706-1-0508	SA210C	44.5OD*6.6MW	2.4	pcs	1	2.4
201706-1-0509	SA210C	50.8OD*6.8MW*8050MM	8.1	pcs	2	16.1
201706-1-0510	SA210C	50.8OD*6.8MW*12400MM	12.4	pcs	1	12.4
201706-1-0511	SA210C	50.8OD*6.8MW*13700MM	13.7	pcs	5	68.5
201706-1-0602	SA213-T11	50.8OD*8MW*7900MM	7.9	pcs	1	7.9
201706-1-0603	SA213-T11	44.5OD*6.2MW	10.4	pcs	1	10.4
201706-1-0604	SA213-T11	44.5OD*6.2MW	4.8	pcs	1	4.8
201706-1-0605	SA213-T11	44.5OD*7.2MW	4.7	pcs	1	4.7
201706-1-0609	SA213-T11	44.5OD*7.4MW	7.8	pcs	1	7.8
201706-1-0609	SA213-T11	44.5OD*7.4MW*12000MM	12.0	pcs	8	96.0
201706-1-0609	SA213-T11	44.5OD*7.4MW*12000MM	12.0	pcs	2	24.0
201706-1-0702	SA210C	44.5OD*8.4MW*11600MM	11.6	pcs	3	34.8
201706-1-0703	SA210C	44.5OD*7MW*10000MM	10.0	pcs	3	30.0
201706-1-0705	SA210C	44.5OD*6.8MW*6850MM	6.9	pcs	1	6.9
201706-1-0706	SA210C	44.5OD*6.8MW	2.8	pcs	1	2.8
201706-1-0708	SA210C	44.5OD*6.8MW*12550MM	12.6	pcs	6	75.3
201706-1-0803	SA213-T11	50.8OD*4MW *7500MM	7.5	pcs	2	15.0
201706-3-0201	KA-STBA28 (火-STBA28)	50.8OD*8MW*7500MM	7.5	pcs	4	30.0
201706-3-0201	KA-STBA28 (火-STBA28)	50.8OD*8MW*7500MM	7.5	pcs	1	7.5
201706-3-0202	KA-STBA28 (火-STBA28)	44.5OD*4MW*9200MM	9.2	pcs	6	55.2
201707-1-0304	SA210C	50.8OD*5.6MW*10500MM	10.5	pcs	1	10.5
201707-1-0308	SA210C	50.8OD*5.6MW	9.1	pcs	1	9.1
201707-1-0310	SA210C	50.8OD*5.6MW	4.6	pcs	1	4.6
201707-1-0310	SA210C	50.8OD*5.6MW*13700MM	13.7	pcs	4	54.8
201707-1-0311	SA210C	50.8OD*5.6MW*6500MM	6.5	pcs	2	13.0
201707-1-0315	SA210C	63.5OD*6.8MW*11300MM	11.3	pcs	1	11.3
201707-1-0316	SA210C	50.8OD*5.6MW*12000MM	12.0	pcs	1	12.0
201707-1-0316	SA210C	50.8OD*5.6MW	6.0	pcs	1	6.0
201707-1-0323	SA210C	63.5OD*6.8MW*13650MM	13.7	pcs	5	68.3
201707-1-0324	SA210C	63.5OD*6.8MW*13650MM	13.7	pcs	14	191.1
201707-1-0404	SA210C	44.5OD*7.6MW*9700MM	9.7	pcs	2	19.4
201707-1-0407	SA210C	44.5OD*7.6MW*11400MM	11.4	pcs	4	45.6
201707-1-0411	SA210C	31.8OD*4MW*13250MM	13.3	pcs	14	185.5
201707-1-0502	SA210-C	44.5OD*5.6MW*8450MM	8.5	pcs	2	16.9

List For Tube (C.S & A.S)

Code Number	Material specification	Dimension	Length (M)/pc	Unit	Present on hand(pc)	Present on hand(M)
201707-1-0504	SA210-C	44.5OD*5.6MW*10350MM	10.4	pcs	19	196.7
201707-1-0504	SA210-C	44.5OD*5.6MW*10350MM	10.4	pcs	1	10.4
201707-1-0601	SA210-C	44.5OD*4MW*12800MM	12.8	pcs	4	51.2
201707-1-0601	SA210-C	44.5OD*4MW	6.0	pcs	1	6.0
201707-1-0602	SA210-C	44.5OD*5.6MW*10350MM	10.4	pcs	5	51.8
201707-1-0702	SA213-T11	44.5OD*5.4MW*10200MM	10.2	pcs	3	30.6
201707-1-0703	SA213-T11	44.5OD*5.4MW*10200MM	10.2	pcs	3	30.6
201707-1-0703	SA213-T11	44.5OD*5.4MW	4.6	pcs	1	4.6
201707-1-0704	SA213-T11	44.5OD*6.2MW*10200MM	10.2	pcs	5	51.0
201707-1-0704	SA213-T11	44.5OD*6.2MW	4.5	pcs	1	4.5
201707-1-0705	SA213-T11	50.8OD*6.8MW*10600MM	10.6	pcs	5	53.0
201707-1-0706	SA213-T11	50.8OD*5.2MW*12200MM	12.2	pcs	5	61.0
201707-1-0708	SA213-T11	44.5OD*6.8MW*13900MM	13.9	pcs	5	69.5
201707-1-0708	SA213-T11	44.5OD*6.8MW	4.8	pcs	6	28.8
201707-1-0802	SA213-T11	50.8OD*3.65MW*9000MM	9.0	pcs	4	36.0
201707-1-3401	SA213-T22	50.8OD*5.4MW*7500MM	7.5	pcs	5	37.5
201707-1-3401	SA213-T22	50.8OD*5.4MW*7500MM	7.5	pcs	5	37.5
201707-3-0110	KA-STBA28 (火-STBA28)	50.8OD*5.8MW*9500MM	9.5	pcs	1	9.5
201707-3-0110	KA-STBA28 (火-STBA28)	50.8OD*5.8MW	7.7	pcs	1	7.7
201707-3-0111	KA-STBA28 (火-STBA28)	44.5OD*4.6MW*11500MM	11.5	pcs	2	23.0
201707-3-0111	KA-STBA28 (火-STBA28)	44.5OD*4.6MW*11500MM	11.5	pcs	2	23.0
201707-3-0111	KA-STBA28 (火-STBA28)	44.5OD*4.6MW	10.8	pcs	1	10.8
204314-1-0101	SA213-T11	47.625OD*8.001MW*6800MM	6.8	pcs	3	20.4
204521-1-0202	SA210-C	50.8OD*6.1MW*11950MM	12.0	pcs	2	23.9
204521-1-0202	SA210-C	50.8OD*6.1MW	4.0	pcs	1	4.0
204521-1-0203	SA210-C	50.8OD*5.44MW*7800MM	7.8	pcs	1	7.8
204813-1-0101	SA210A1	50.8OD*4.19MW	6.1	pcs	1	6.1
204813-1-0102	SA210A1	57.2OD*5.49MW*9000MM	9.0	pcs	3	27.0
204813-1-0102	SA210A1	57.2OD*5.49MW	3.1	pcs	1	3.1
204813-1-0103	SA210C	50.8OD*5.21MW*10450MM	10.5	pcs	1	10.5
204813-1-0204	SA213-T22	50.8OD*3.81MW*9700MM	9.7	pcs	3	29.1
204813-1-0204	SA213-T22	50.8OD*3.81MW	6.8	pcs	1	6.8
320260-1-0404	SA210C	88.9mmOD*9.14mmMW*6500mmLG	6.5	pcs	3	19.5
320260-1-0404	SA210C	88.9mmOD*9.14mmMW	4.1	pcs	1	4.1
320260-1-0602	SA213T91	50.8mmOD*8.13mmMW*7300mmLG	7.3	pcs	3	21.9
320260-1-0602	SA213T91	50.8mmOD*8.13mmMW*7300mmLG	7.3	pcs	2	14.6
320260-1-0602	SA213T91	50.8mmOD*8.13mmMW	5.3	pcs	1	5.3
320260-1-0603	SA213T91	50.8mmOD*5.59mmMW*7600mmLG	7.6	pcs	1	7.6
320260-1-0604	SA213T91	50.8mmOD*5.59mmMW*7600mmLG	7.6	pcs	1	7.6
320260-1-0604	SA213T91	50.8mmOD*5.59mmMW*7600mmLG	7.6	pcs	4	30.4
321001-1-0201	SA213T22	2.875"OD*0.2"MW*2750mmLG	2.8	pcs	1	2.8
321001-1-0201	SA213T22	2.875"OD*0.2"MW*2540mmLG	2.5	pcs	1	2.5
321001-1-0201	SA213T22	2.875"OD*0.2"MW*2680mmLG	2.7	pcs	1	2.7
321001-1-0201	SA213T22	2.875"OD*0.2"MW*2900mmLG	2.9	pcs	1	2.9

List For Tube (C.S & A.S)

Code Number	Material specification	Dimension	Length (M)/pc	Unit	Present on hand(pc)	Present on hand(M)
321001-1-0201	SA213T22	2.875"OD*0.2"MW*6096mmLG	6.1	pcs	1	6.1
418050-1-1004	SA213T91	38.1*6.1MW	12.5	pcs	26	325.0
511400-1-1101	SA213T91	50.8mmOD*4.72mmMW*7600mmLG	7.6	pcs	3	22.8
511400-1-1104	SA213T91	50.8mmOD*4.19mmMW*8950mmLG	9.0	pcs	1	9.0
511400-1-1104	SA213T91	50.8mmOD*4.19mmMW	8.0	pcs	1	8.0
511400-1-1202	SA213T91	50.80mmOD*5.74mmMW*7150mmLG	7.2	pcs	1	7.2
511400-1-1202	SA213T91	50.8mmOD*5.74mmMW*7200mmLG	7.2	pcs	1	7.2
511400-1-1202	SA213T91	50.8mmOD*5.74mmMW*4500mmLG	4.5	pcs	1	4.5
511400-1-1203	SA213T91	50.80mmOD*6.45mmMW*3900mmLG	3.9	pcs	1	3.9
511400-1-1204	SA213T91	50.80mmOD*5.74mmMW*9550mmLG	9.6	pcs	8	76.4
511400-1-1301	SA213T91	50.80mmOD*5.33mmMW*9000mmLG	9.0	pcs	9	81.0
511400-1-1301	SA213T91	50.80mmOD*5.33mmMW*9000mmLG	9.0	pcs	1	9.0
511400-1-1301	SA213T91	50.80mmOD*5.33mmMW*4500mmLG	4.5	pcs	1	4.5
511400-1-1402	SA213T91	50.80mmOD*7.49mmMW*8400mmLG	8.4	pcs	8	67.2
511400-1-1402	SA213T91	50.80mmOD*7.49mmMW*3700mmLG	3.7	pcs	1	3.7